

ENGLISH
BEFORE APPLYING THE BRACE, PLEASE READ THESE INSTRUCTIONS COMPLETELY AND CAREFULLY. CORRECT APPLICATION IS VITAL TO THE PROPER FUNCTIONING OF THE BRACE.

#### INTENDED USE/INDICATIONS

Knee Support, Compression, Stabilization, General Knee Pain, Swelling, Mild Strains and Sprains

#### CONTRAINDICATIONS

N/A

#### WARNINGS AND CAUTIONS

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

#### APPLICATION INFORMATION

- Step through sleeve/s
- Use pull tabs to pull sleeve up until hex pattern is centered over the knee

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

#### CLEANING INSTRUCTIONS

Hand wash in warm water using mild soap, rinse thoroughly. AIR DRY. Note: If not rinsed thoroughly, residual soap may cause irritation and deteriorate material.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

#### MATERIAL CONTENTS

63% Neoprene, 31% Polyester, 2% Nylon, 1% TPU, 1% Spandex, 2% Rubber

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

#### LEVEL OF SUPPORT



MIN MID MAX MAX+

LATEX

INTENDED FOR SINGLE PATIENT USE

**WARRANTY:** DJO, LLC will repair or replace all or part of the unit and its accessories for material or workmanship defects for a period of six months from the date of sale.

**NOTICE: WHILE EVERY EFFORT HAS BEEN MADE IN STATE-OF-THE-ART TECHNIQUES TO OBTAIN THE MAXIMUM COMPATIBILITY OF FUNCTION, STRENGTH, DURABILITY AND COMFORT, THIS DEVICE IS ONLY ONE ELEMENT IN THE OVERALL TREATMENT PROGRAM ADMINISTERED BY A MEDICAL PROFESSIONAL. THERE IS NO GUARANTEE THAT INJURY WILL BE PREVENTED THROUGH THE USE OF THIS PRODUCT.**

FRANÇAIS
LIRE ATTENTIVEMENT LA TOTALITÉ DES INSTRUCTIONS SUIVANTES AVANT D'UTILISER LE DISPOSITIF. UNE MISE EN PLACE CORRECTE EST INDISPENSABLE AU BON FONCTIONNEMENT DU DISPOSITIF.

#### UTILISATION/INDICATIONS

Soutien, compression et stabilisation du genou, douleurs générales, gonflements, légères foulures et entorses du genou

#### CONTRE-INDICATIONS

Aucune

#### AVERTISSEMENTS ET MISES EN GARDE

Les produits en néoprène ne doivent pas être portés par les personnes présentant une prédisposition connue à la dermatite ou aux allergies aux produits dérivés du néoprène. En cas de douleur, d'enflure, d'altération de la sensation ou de toute autre réaction inhabituelle durant l'utilisation du produit, consulter immédiatement un médecin. Le support doit être bien serré sans toutefois entraver la circulation. Ne jamais porter le produit sur une plaie ouverte.

#### INFORMATIONS RELATIVES À LA MISE EN PLACE

- Utiliser la jambe dans le manchon.
- Utiliser les languettes pour tirer le manchon jusqu'à ce que le motif hexagonal soit centré sur le genou.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

#### INSTRUCTIONS DE NETTOYAGE

Laver le revêtement à la main à l'eau chaude avec un savon doux et rincer abondamment. Remarque : Si le produit n'est pas suffisamment rincé, les résidus de savon peuvent provoquer des irritations et endommager le matériau.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

#### COMPOSITION DES MATÉRIEAUX

63 % néoprène, 31 % polyester, 2 % nylon, 1 % TPU, 1 % élasthanne, 2 % caoutchouc

#### NIVEAU DE SOUTIEN



MIN MID MAX MAX+

LATEX

PRÉVU POUR UN USAGE SUR UNE SEULE PERSONNE.

**GARANTIE** DJO, LLC réparera ou remplacera tout ou partie de l'unité ainsi que ses accessoires en cas de défaut matériel ou de fabrication pendant une période de six mois à compter de la date d'achat.

**AVIS : BIEN QUE TOUTES LES TECHNIQUES DE POINTE AIENT ÉTÉ UTILISÉES AFIN D'OBTENIR LE NIVEAU MAXIMAL DE COMPATIBILITÉ DE FONCTION, DE RÉSISTANCE, DE DURABILITÉ ET DE CONFORT, IL N'EST PAS GARANTI QUE L'UTILISATION DE CE PRODUIT PRÉVIENDRA TOUT PRÉJUDICE CORPOREL.**

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

#### CONTRAINDICAÇÕES

N/A

#### ADVERTÊNCIAS E PRECAUÇÕES

Os suportes de neoprene não devem ser usados por pessoas com suscetibilidade conhecida a neoprene ou que sofram de dermatite ou alergias causadas por neoprene. Se, durante o uso deste produto, você sentir dor, ocorrer inchaço, alterações da sensibilidade ou qualquer outra reação incomum, consulte imediatamente o seu médico. O suporte deve estar bem justo, mas não pode prejudicar a circulação. Nunca use o suporte sobre uma ferida aberta.

#### INSTRUÇÕES PARA COLOCAÇÃO

- Deslize a perna através da Joelheira
- Use as abas para puxar a Joelheira para cima até que a estampa hexagonal esteja centralizada em cima do Joelho

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

#### INSTRUÇÕES DE LIMPEZA

Lave em água morna, usando um sabão suave e enxágue bem.Observação: Se este produto não for bem enxaguado, os resíduos do sabão podem causar irritação e podem causar a deterioração do material.

#### COMPOSIÇÃO DO MATERIAL

63% Neoprene, 31% Poliéster, 2% Nylon, 1% TPU, 1% Spandex, 2%

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

**DESTINADO AO USO INDIVIDUAL DO PACIENTE.**

**GARANTIA** A DJO, LLC se compromete a reparar ou substituir a totalidade ou parte da unidade e seus acessórios, por defeitos de material ou fabricação, durante o período de seis meses após a data de venda.

**AVISO: EMBORA TENHAM SIDO FEITOS TODOS OS ESFORÇOS EM TERMOS DE TÉCNICAS PARA SE OBTER UMA COMPATIBILIDADE MÁXIMA DA FUNÇÃO, FORÇA, DURABILIDADE E CONFORTO, NÃO GARANTIMOS QUE NÃO OCORRERÃO LESÕES COM A UTILIZAÇÃO DESTA PRODUTO.**

ESPAÑOL
ANTES DE UTILIZAR ESTE DISPOSITIVO, LEA POR FAVOR ESTAS INSTRUCCIONES COMPLETA Y DETENIDAMENTE. EL USO CORRECTO ES FUNDAMENTAL PARA EL FUNCIONAMIENTO APROPIADO DE ESTE DISPOSITIVO.

#### USO PREVISTO/INDICACIONES

Soporte de rodilla, compresión, estabilización, dolor de rodilla general, inflamación, esguinces y torceduras leves.

#### CONTRAINDICACIONES

N/C

#### ADVERTENCIAS Y PRECAUCIONES

Las personas con sensibilidad conocida a dermatitis o alergias provocadas por productos fabricados en el neopreno no deben usar soportes de neopreno. Si experimenta síntomas quali dolor, gonflore, alteración de cualquier reacción poco habitual durante el uso de este producto, consulte inmediatamente a su profesional médico. El soporte debe quedar bien ajustado, pero sin impedir la circulación. No coloque nunca este soporte sobre una herida abierta.

#### INSTRUCCIONES DE COLOCACIÓN

- Colóquese la rodillera.
- Tire de las lengüetas laterales hasta ajustar la zona con hexágonos en el centro de la rodillera.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

#### INSTRUCCIONES DE LIMPIEZA

Lave a mano con agua tibia y jabón suave y enjuague bien Nota: Si no se enjuaga correctamente, los restos de jabón pueden ocasionar irritación y deteriorar el material.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

#### COMPOSICIÓN DE LOS MATERIALES

63 % neopreno, 31 % poliéster, 2 % nylon, 1 % TPU, 1 % lycra, 2 % caucho

#### NIVEL DE SUJECIÓN



MIN MID MAX MAX+

LATEX

INDICADO PARA EL USO DE UN SÓLO PACIENTE

**GARANTÍA** DJO, LLC se compromete a reparar o sustituir la totalidad o parte del producto y sus accesorios, por defectos del material o de mano de obra, durante los seis meses siguientes a la fecha de compra .

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

**AVISO: SEBBENE OGNI SFORZO SIA STATO COMPIUTO CON L'IMPIEGO DI TECNICHE ALL'AVANGUARDIA PER REALIZZARE UN PRODOTTO IN GRADO DI OFFRIRE SEMPRE LA MASSIMA COMPATIBILITÀ FUNZIONALE, RESISTENZA, DURATA E COMFORT, QUESTO DISPOSITIVO RAPPRESENTA SOLO UNO DEGLI ELEMENTI DEL PROGRAMMA TERAPEUTICO GESTITO DAL PERSONALE MEDICO. NON ESISTE ALCUNA GARANZIA CHE L'USO DI TALE PRODOTTO SIA IN GRADO DI EVITARE EVENTUALI LESIONI.**

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

#### ANVÄNDNINGSOMRÅDEN

Knäsuppsott, kompression, stabilisering, knäsmärtor, svullnad, lättare stukning eller sträckning

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

#### ANVÄNDS EJ VID

N/A

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

**NOTERA: ÄVEN OM VI GJORT ALLT FÖR ATT SKAPA ETT SKYDD MED MAXIMAL FUNKTION VAD GÄLLER STYRKA, HÅLLBARHET OCH BEKVÄMLIGHET KAN DETTA SKYDD ENDAST SES SOM EN DEL AV BEHÄNDLINGEN SOM REKOMMENDRAS VIA LÄKARE, SJUKGYMNAST ELLER ANNAN MEDICINSKT ANSVARIG PERSON. DET FINNS INGA KOKONAISHOJDON YKSI OSA. TUOTTEEN KÄYTTÖ EI TAKAA VAMMAN DENNÄ PRODUKT.**

ITALIANO
PRIMA DI APPLICARE IL TUTOR, LEGGERE INTERAMENTE E ATTENTAMENTE LE PRESENTI ISTRUZIONI. L'USO CORRETTO È DI FONDAMENTALE IMPORTANZA PER UN FUNZIONAMENTO ADEGUATO.

Supporto per il ginocchio, compressione, stabilizzazione, dolore generalizzato al ginocchio, gonfiore, strappi e distorsioni di lieve entità

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

**AVVERTENZE E PRECAUZIONI**

I tutori in neoprene non devono essere utilizzati nei pazienti notoriamente soggetti a dermatiti o allergie ai prodotti derivati dal neoprene. Nel caso in cui si avvertano sintomi quali dolore, gonfiore, alterazione delle percezioni sensoriali o qualsiasi altra reazione anomala durante l'uso del presente prodotto, rivolgersi immediatamente al medico. Il supporto deve aderire bene senza compromettere la circolazione. Non indossare mai il supporto su una ferita aperta.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

**INFORMAZIONI SULL'APPLICAZIONE**

- Idossare la ginocchiera
- Utilizzare le linguette per tirare la ginocchiera fino a centrare il motivo esagonale sul ginocchio

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

**ISTRUZIONI PER LA PULIZIA**

Lavare a mano in acqua tiepida con sapone neutro, risciacquare abbondantemente. ASCIUGARE ALL'ARIA. Nota: se non risciacquato perfettamente, i residui di sapone potrebbero provocare irritazioni cutanee o danneggiare il materiale.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound.

Neoprene supports should not be worn by individuals with known susceptibility to dermatitis or allergies to neoprene by-products. If you experience any pain, swelling, sensation changes, or any unusual reactions while using this product, consult your medical professional immediately. The support should be snug but not impair circulation. Never wear the support over an open wound

LITHUANIAN
<p>PRIEŠ NAUDODAMI ĮTVARĄ PRAŠOME ĮDĖMIAI PERSKAITYTI ŠIĄ VARTOTOJO INSTRUKCIJĄ. TEISINGAS NAUDOJIMAS YRA SVARBUS VEIKSNYS TINKAMAM ĮTVARO FUNKCIONAVIMUI.</p>

### PASKIRTIS/INDIKACIJOS

Kelio stiprinimas, kompresija, stabilizavimas, bendrinis kelio skausmas, tinimas, silpni įtempimai ir patempima

### KONTRAINDIKACIJOS

Nėra

### ĮSPĖJIMAI IR ATSARGUMO PRIEMONĖS

Žmonės, sergantys dermatitu ar alergiški neoprenui, neturėtų naudoti iš neopreno medžiagos pagamintų įtvarų. Jeigu naudodami šį gaminį jaučiate bet koją skausmą, atsirado tinimai, pojučių pakitimai arba kitos neįprastos reakcijos, nedelsiant pasitarkite su gydytoju. Įtvaras turi atlempėti, tačiau nebloginti kraujotakos. Nenaudokite įtvaro ant atvirų žaizdų.

### INSTRUKCIJOS

- Kiškite koją į įtvarą
- Traukite įtvarą į viršų kol šėšakampis raštas patenka ant kelio centro

<span></span>	<span></span>	<span></span>	<span></span>
<span></span>	<span></span>	<span></span>	<span></span>

#### VALYMO INSTRUKCIJOS

Skalbkite rankomis šilame vandenyje su švelniu muilu, gerai išskalaukite. LEISKITE NATŪRALIAI IŠDŽIUTI. Pastaba: Jeigu gerai neišskalausite, muilo likučiai gali dirginti odą ir pažeisti medžiagą.

### SUDĖTIS

63% Neoprenas, 31% Polyesteris, 2% Nailonas, 1% TPU (termoplastinis poliuretanas), 1% Elastanas, 2% Guma

### STIPRINIMO LYGIS

<span></span>	<span></span>	<span></span>	<span></span>
MIN	MID	MAX	MAX+



SKIRTAS NAUDOTI VIENAM ŽMOGIUI

**GARANTIJĄ** DJO, LLC atliks remontą ar pakeis visą įtvarą, ar jo dalis ir priedus esant medžiagos ar atliktų darbų defektams nuo įsigijimo praėjus ne daugiau 6 mėnesiams.

**PASTABA: NORS BUVO DEDAMOS VISOS PASTANGOS DIEGIANT NAUJAUSIAS TECHNOLOGIJAS, KURIOS SUTEIKIA GERIAUSIĄ FUNKCIONALUMĄ, STIPRUMĄ, PATVARAMUM IR KOMFORTO KOMBINACIJĄ, ŠIS GAMINYS VRA TIK VIENAS ELEMENTAS VIŠOJE GDYTOJO VALDOMOJE GDYMO PROGRAMOJE. NĖRA JOKIOS GARANTIJOS, KAD NAUDODAMI ŠĮ GAMINĮ, NEPATIRSITE TRAUMOS.**

ESTONIAN
<p>ENNE ORTOOSI PAIGALDAMIST PALUN LUGEGE INSTRUKTSIOONI KOGU MAHUS JA TÄHELEPANELIKULT. KORREKTENE PAIGALDAMINE ON ORTOOSI ÕIGEKS TOIMIMISEKS VAJALIK.</p>

### OTSTARVE/NÄIDUSTUS

Põlve tugi, kompressioon, stabiliseerimine, põlve valu , turse, kerged nihestused ja venitused

### VASTUNÄIDUSTUS

N / Ä, Puudub

### HOIATUSED JA TÄHELEPANEKUD

Neopreenista ortoose ei tohiks kanda isikud, kellel on suurem vastuvõtlikkuss dermatiidile või allergiaid neopreenile. Kui tunnete valu, tekib turse, muutusi tundlikkuses või muid ebatavalisi reaktsioone toote kasutamise ajal, konsulteerige meditsiinitöötajaga. Tugi peaks olema tugev, kuid mitte kahjustama vereinglust. Ärge kandke ortoosi lahtise haava peal.

### KASUTAMISE INFO

- Pange labi "varruka"
- Kasutage lõmbamistrukket, et tõmmata "varrukas" üles kuni kuusnurkade muster on põlve keskel.

<span></span>	<span></span>	<span></span>	<span></span>
<span></span>	<span></span>	<span></span>	<span></span>

#### MÄRKUS

Käsipesu sooja veega, kasutades pehmet seepi, loputa. Laske õhu käes kuivada. Märkus: Kui ei pesta põhjalikult, siis ortoosile jäänud seep võib põhjustada ärritust ja halvendab materjali.

### MATERJALI SISU

63% neopreen, 31% polüester, 2% nailon, 1% TPU, 1% elastaan, 2% kummi

### TOETUSE TASE

<span></span>	<span></span>	<span></span>	<span></span>
MIN	MID	MAX	MAX+



MÕELDUD KASUTAMISEKS ÜHELE PATSIENDILE.

**GARANTII** DJO, LLC parandab või asendab täielikult või osaliselt seadme ja selle tarvikud materjali või valmistamise kuu kuu jooksul alates müümise hetkest.

**TÄHELEPANU: KUIGI KÕIK ENDAST OLENEV ON TEHTUD, ET SAADA MAKSIMAALSET TULEMUST FUNKTSIOONIS, TUGEVIKUSES, VASTUPIDAVIUSUSES JA MUGAVUSES, SIIS SEE SEADE ON VAID ÜKS OSA KOGU RAVIST, MIDA MÄÄRAB MEDITSINIÕTÄTAJA. EI OLE GARANTIID, ET SELLE TOOTE KASUTAMISE KORRAL VIGASTUS EI TEKI.**

MACEDONIAN
<p>ПРЕД УПОТРЕБА НА ОРТОЗАТА, ВНИМАТЕЛНО И ВО ЦЕЛОСТ ПРОЧИТАЈТЕ ГИ ОБИЕ СОВЕТИ. ПРАВИЛНАТА ПРИМЕНА Е НЕОПХОДНА ЗА ПРАВИЛНО ФУНКЦИОНИРАЊЕ НА ПОМАГАЛОТО</p>

### НАМЕНСКА УПОТРЕБА / ИНДИКАЦИИ

Потпора на коленото, компресија , Стабилизација, Болки во Коленото, Отоци, Средни истегнувања

### КОНТРАИНДИКАЦИИ

Не се познати

### ПРЕДУПРЕДУВАЊЕ

Неопренската поддршка не треба да се носи од страна на поединци за кои се знае дека се подложни на дерматитис или алергии на неопренови нус-производи. Ако почувствувате било каква болка, оток, зголемена чувствителност, или било кои необични реакции при користење на овој производ, веднаш консултирајте се со вашиот лекар. Поддршката треба да биде доста добра, но не и да ја наруши циркулацијата. Никогаш не носат на поддршка во отворена рана.

### ИНСТРУКЦИИ ЗА УПОТРЕБА

- Навлекете го ракавот
- При повлетувањето на ракавот користете ги појначните јазичиња позиционирајќи го хексадецималиен модел во центарот на коленот

<span></span>	<span></span>	<span></span>	<span></span>
<span></span>	<span></span>	<span></span>	<span></span>

#### УПАТСТВА ЗА ЧИСТЕЊЕ

Рачно перење во топла вода со течен сапун, исплакнете темелно. Исуши. Забелешка: Ако не се исплакнат темелно, остаток на сапун може да предизвика иритација и да се влоши материјал.

### МАТЕРИЈАЛ

Неопрен 63%, 31% полиестер, најлон 2%, 1% TPU, 1% Спандекс, 2% од гума

### НИВО НА ПОТПОРА

<span></span>	<span></span>	<span></span>	<span></span>
MIN	MID	MAX	MAX+



НАМЕНЕТИ ЗА КОРИСТЕЊЕ ОД ЕДЕН ПАЦИЕНТ

**GARANCIJA** DJO, DCO ќе го поправи или замени сите или дел од единичната и неговите додатоти за материјалот или изработката која е дефектна за период од шест месеци од денот на продажбата.

**НАПОМЕНА: ИАКО СЕКОЈ ОБИД Е НАПРАВЕН ВО КРЕИРАЊЕ НА ТЕХНОЛОШКИ НАПРЕДЕН ПРОИЗВОД, ЗА ДА СЕ ДОБИЕ МАКСИМАЛНА КОМПАТИБИЛНОСТ НА ФУНКЦИЈАТА, СИЛА, ИЗДРЖЛИВОСТ И УДОБНОСТ, ОВОЈ ПРОИЗВОД Е САМО ЕДЕН ЕЛЕМЕНТ ВО ЦЕЛОКУПНИОТ ТРЕТМАН СПРОВЕДЕН ОД СТРАНА НА МЕДИЦИНСКОТО ЛИЦЕ. НЕ ПОСТОИ ГАРАНЦИЈА ДЕКА ПОВРЕДАТА КЕ СЕ СПРЕЧИ СО КОРИСТЕЊЕ НА ОВОЈ ПРОИЗВОД.**

SERBIAN
<p>PRE PRIMENE POJASA, MOLIMO VAS PROČITAJTE OVO UPUTSTVO PAŽLJIVO I U POTPUNOSTI. ISPRAVNA PRIMENA JE KLJUČNA ZA ISPRAVNO FUNKCIONISANJE POJASA.</p>

### NAMENSKA UPOTREBA/INDIKACIJE

Potpora za koleno, kompresija, stabilizacija, opšti bol u kolenu, oticanje, blaga uganuća i istegnuća

### KONTRAINDIKACIJE

N/A

### UPOZORENJA I OPOMENE

Steznici od neoprena nisu preporučljivi za slica klona dermatitisu ili alergijjama na nusprodukte od neoprena. Ako osetite bilo kakav bol, oticanje, promene u osećaju ili bilo kakve druge reakcije pri korišćenju ovog proizvoda, odmah konsultujte lekara. Potpora bi trebalo da bude čvrsto stegnuta ali ne sme zaustavljati cirkulaciju. Nikada ne nosite steznic preko otvorene rane.

### UPUTSTVO ZA UPOTREBU

- Zakoračite u steznic.
- Koristeći ručice za vučenje, vučite steznic na gore sve dok šablon od heksagona ne bude centriran preko vašeg kolena.

<span></span>	<span></span>	<span></span>	<span></span>
<span></span>	<span></span>	<span></span>	<span></span>

#### UPUTSTVO ZA PRANJE

Perite na ruke u toploj vodi blagim sapunom, dobro isperite. PRIRODNO OSUŠITE. Napomena: Ako ne isperete temeljno, ostaci sapunice mogu izazvati iritaciju ili raspadanje materijala.

### SASTAV

63% neopren, 31% poliester, 2% najlon, 1% TPU, 1% spandeks, 2% guma

### NIVO POTPORE

<span></span>	<span></span>	<span></span>	<span></span>
MIN	MID	MAX	MAX+



NAMENJENO ZA UPOTREBU OD STRANE JEDNOG LICIA

**GARANCIJA** DJO, LLC će popraviti ili zameniti ceo ili delove proizvoda i njegove dodatke u slučaju oštećenja u materijalu ili izradi u periodu od šest meseci od datuma prodaje.

**NAPOМЕНА: IАКО ЈЕ U IZRADI PO POSLEDNJIIM TEHNOLOŠKIM STANDARDIMA ULOŽEN SAV TRUD DA SE POSTIGNE MAKSIMALNA FUNKCIONALNOST KADA JE REČ O DELOVANJU, ČVRSTINI, POSTOJANOSTI I UDOBNOSTI, OVAJ PROIZVOD JE SAMO JEDAN ELEMENT CELOKUPNOG PROGRAMA LEČENJA POD VODSTVOM MEDICINSKIH STRUČNJAKA. NE GARANTUJEMO DA DO POVREDE NEĆE DOĆI TOKOM KORIŠĆENJA OVOG PROIZVODA.**

GREEK
<p>ΠΡΙΝ ΑΠΟ ΤΗΝ ΕΦΑΡΜΟΓΗ ΤΟΥ ΚΗΛΕΜΟΝΑ ΠΑΡΑΚΑΛΕΙΣΕ ΝΑ ΔΙΑΒΑΣΕΤΕ ΠΡΟΣΕΚΤΙΚΑ ΟΛΕΣ ΤΙΣ ΟΔΗΓΙΕΣ ΧΡΗΣΗΣ. Η ΣΩΣΤΗ ΕΦΑΡΜΟΓΗ ΕΙΝΑΙ ΚΑΘΟΡΙΣΤΙΚΗ ΣΤΗΝ ΑΠΟΤΕΛΕΣΜΑΤΙΚΗ ΛΕΙΤΟΥΡΓΙΑ ΤΟΥ ΚΗΛΕΜΟΝΑ.</p>

### ΠΡΟΟΡΙΖΕΤΑΙ ΓΙΑ ΧΡΗΣΗ ΣΕ/ΕΝΔΕΙΞΕΙΣ

στήριξη του γόνατος, συμπίεση, σταθερότητα, πόνος στο γόνατο, πρήξιμο, ήπια διαστρέμματα και εξάρθρασις

### ΑΝΤΕΝΔΕΙΞΕΙΣ

N/A

### ΑΝΕΠΙΘΥΜΗΤΕΣ ΕΝΕΡΓΕΙΕΣ ΚΑΙ ΠΡΟΦΥΛΑΞΕΙΣ

άτομα με διαπιστωμένη τάση για δερματιτις ή αλλεργίες στο Neoprene δεν πρέπει να φορούν στήριγματα κατασκευασμένα από υποπροϊόντα neoprene. Εάν αισθανθείτε οποιαδήποτε πόνο, πρήξιμο, αλλαγή αίσθησης, ή οποιαδήποτε ασυνήθιστη αντίδραση κατά τη χρήση του προϊόντος, πρέπει να συμβουλευτείτε άμεσα τον γιατρό σας. Η στήριξη θα πρέπει να είναι αναπαιυτική και να μην δυσκολεύει την κυκλοφορία. Μην φοράτε το στήριγμα poté πάνω από ανοιχτό τραύμα.

### ΟΔΗΓΙΕΣ ΕΦΑΡΜΟΓΗΣ

- Περάστε το πόδι σας μέσα από την κλίτσα/εξ
- Χρησιμοποιώντας τις λωρίδες τραβήγματος τραβήξτε την κλίτσα προς τα επάνω έως το εξάγωνο μοτίβο να έρθει στο κέντρο του γόνατού

<span></span>	<span></span>	<span></span>	<span></span>
<span></span>	<span></span>	<span></span>	<span></span>

#### ΟΔΗΓΙΕΣ ΚΑΘΑΡΙΣΜΟΥ

άτομα με διαπιστωμένη τάση για δερματιτις ή αλλεργίες στο Neoprene δεν πρέπει να φορούν στήριγματα κατασκευασμένα από υποπροϊόντα neoprene. Εάν αισθανθείτε οποιαδήποτε πόνο, πρήξιμο, αλλαγή αίσθησης, ή οποιαδήποτε ασυνήθιστη αντίδραση κατά τη χρήση του προϊόντος, πρέπει να συμβουλευτείτε άμεσα τον γιατρό σας. Η στήριξη θα πρέπει να είναι αναπαιυτική και να μην δυσκολεύει την κυκλοφορία. Μην φοράτε το στήριγμα poté πάνω από ανοιχτό τραύμα.

### ΣΥΝΘΕΣΗ ΥΛΙΚΩΝ

63% Neoprene, 31% Polyester, 2% Nylon, 1% TPU, 1% Spandex, 2% Rubber

### ΒΑΘΜΟΣ ΣΤΗΡΙΞΗΣ

<span></span>	<span></span>	<span></span>	<span></span>
MIN	MID	MAX	MAX+



ΠΡΟΟΡΙΖΕΤΑΙ ΓΙΑ ΧΡΗΣΗ ΑΠΟ ΜΕΜΟΝΩΜΕΝΟ ΑΙΣΘΗΤΗ

**ΕΓΓΥΗΣΗ** Η DJO, LLC θα επισκευάσει ή θα αντικαταστήσει μέρος ή όλο το προϊόν και τα εξαρτήματά του, σε περίπτωση ελαττωματικού υλικού ή εργασίας για χρονικό διάστημα έξι μηνών από την ημερομηνία αγοράς του προϊόντος.

**ΠΡΟΣΟΧΗ: ΠΑΡΟΤΙ ΕΚΕΙ ΚΑΤΑΒΑΝΘΕΙ ΚΑΘΕ ΔΥΝΑΤΗ ΠΡΟΣΠΑΘΕΙΑ ΜΕ ΤΗ ΧΡΗΣΗ ΤΕΧΝΟΛΟΓΙΑΣ ΑΙΧΜΗΣ ΚΑΙ ΣΤΟΧΟ ΤΗ ΒΕΛΤΙΣΤΗ ΛΕΙΤΟΥΡΓΙΚΟΤΗΤΑ, ΔΥΝΑΜΗ, ΑΝΤΟΧΗ ΚΑΙ ΑΝΕΣΗ ΤΟ ΠΡΟΪΟΝ ΑΥΤΟ ΑΠΟΤΕΛΕΙ ΕΝΑ ΜΟΝΟ ΜΕΡΟΣ ΤΟΥ ΣΥΝΟΛΙΚΟΥ ΠΡΟΓΡΑΜΜΑΤΟΣ ΘΕΡΑΠΕΙΑΣ ΠΟΥ ΕΚΕΙ ΧΡΗΤΗΘΕΙ ΑΠΟ ΤΟΝ ΙΑΤΡΟ ΣΑΣ. Η ΧΡΗΣΗ ΤΟΥ ΠΡΟΪΟΝΤΟΣ ΔΕΝ ΕΓΓΥΑΤΑΙ ΤΗΝ ΑΠΟΦΥΓΗ ΤΡΑΥΜΑΤΙΣΜΩΝ.**

ΕΛΛΗΝΙΚΑ
<p>ΠΡΙΝ ΑΠΟ ΤΗΝ ΕΦΑΡΜΟΓΗ ΤΟΥ ΚΗΛΕΜΟΝΑ ΠΑΡΑΚΑΛΕΙΣΕ ΝΑ ΔΙΑΒΑΣΕΤΕ ΠΡΟΣΕΚΤΙΚΑ ΟΛΕΣ ΤΙΣ ΟΔΗΓΙΕΣ ΧΡΗΣΗΣ. Η ΣΩΣΤΗ ΕΦΑΡΜΟΓΗ ΕΙΝΑΙ ΚΑΘΟΡΙΣΤΙΚΗ ΣΤΗΝ ΑΠΟΤΕΛΕΣΜΑΤΙΚΗ ΛΕΙΤΟΥΡΓΙΑ ΤΟΥ ΚΗΛΕΜΟΝΑ.</p>

στήριξη του γόνατος, συμπίεση, σταθερότητα, πόνος στο γόνατο, πρήξιμο, ήπια διαστρέμματα και εξάρθρασις

### ΑΝΤΕΝΔΕΙΞΕΙΣ

N/A

### ΑΝΕΠΙΘΥΜΗΤΕΣ ΕΝΕΡΓΕΙΕΣ ΚΑΙ ΠΡΟΦΥΛΑΞΕΙΣ

άτομα με διαπιστωμένη τάση για δερματιτις ή αλλεργίες στο Neoprene δεν πρέπει να φορούν στήριγματα κατασκευασμένα από υποπροϊόντα neoprene. Εάν αισθανθείτε οποιαδήποτε πόνο, πρήξιμο, αλλαγή αίσθησης, ή οποιαδήποτε ασυνήθιστη αντίδραση κατά τη χρήση του προϊόντος, πρέπει να συμβουλευτείτε άμεσα τον γιατρό σας. Η στήριξη θα πρέπει να είναι αναπαιυτική και να μην δυσκολεύει την κυκλοφορία. Μην φοράτε το στήριγμα poté πάνω από ανοιχτό τραύμα.

### ΟΔΗΓΙΕΣ ΕΦΑΡΜΟΓΗΣ

- Περάστε το πόδι σας μέσα από την κλίτσα/εξ
- Χρησιμοποιώντας τις λωρίδες τραβήγματος τραβήξτε την κλίτσα προς τα επάνω έως το εξάγωνο μοτίβο να έρθει στο κέντρο του γόνατού

<span></span>	<span></span>	<span></span>	<span></span>
<span></span>	<span></span>	<span></span>	<span></span>

#### ΟΔΗΓΙΕΣ ΚΑΘΑΡΙΣΜΟΥ

άτομα με διαπιστωμένη τάση για δερματιτις ή αλλεργίες στο Neoprene δεν πρέπει να φορούν στήριγματα κατασκευασμένα από υποπροϊόντα neoprene. Εάν αισθανθείτε οποιαδήποτε πόνο, πρήξιμο, αλλαγή αίσθησης, ή οποιαδήποτε ασυνήθιστη αντίδραση κατά τη χρήση του προϊόντος, πρέπει να συμβουλευτείτε άμεσα τον γιατρό σας. Η στήριξη θα πρέπει να είναι αναπαιυτική και να μην δυσκολεύει την κυκλοφορία. Μην φοράτε το στήριγμα poté πάνω από ανοιχτό τραύμα.

### ΣΥΝΘΕΣΗ ΥΛΙΚΩΝ

63% Neoprene, 31% Polyester, 2% Nylon, 1% TPU, 1% Spandex, 2% Rubber

### ΒΑΘΜΟΣ ΣΤΗΡΙΞΗΣ


<span></span>	<span></span>	<span></span>	<span></span>
MIN	MID	MAX	MAX+



ΠΡΟΟΡΙΖΕΤΑΙ ΓΙΑ ΧΡΗΣΗ ΑΠΟ ΜΕΜΟΝΩΜΕΝΟ ΑΙΣΘΗΤΗ

**ΕΓΓΥΗΣΗ** Η DJO, LLC θα επισκευάσει ή θα αντικαταστήσει μέρος ή όλο το προϊόν και τα εξαρτήματά του, σε περίπτωση ελαττωματικού υλικού ή εργασίας για χρονικό διάστημα έξι μηνών από την ημερομηνία αγοράς του προϊόντος.

**ΠΡΟΣΟΧΗ: ΠΑΡΟΤΙ ΕΚΕΙ ΚΑΤΑΒΑΝΘΕΙ ΚΑΘΕ ΔΥΝΑΤΗ ΠΡΟΣΠΑΘΕΙΑ ΜΕ ΤΗ ΧΡΗΣΗ ΤΕΧΝΟΛΟΓΙΑΣ ΑΙΧΜΗΣ ΚΑΙ ΣΤΟΧΟ ΤΗ ΒΕΛΤΙΣΤΗ ΛΕΙΤΟΥΡΓΙΚΟΤΗΤΑ, ΔΥΝΑΜΗ, ΑΝΤΟΧΗ ΚΑΙ ΑΝΕΣΗ ΤΟ ΠΡΟΪΟΝ ΑΥΤΟ ΑΠΟΤΕΛΕΙ ΕΝΑ ΜΟΝΟ ΜΕΡΟΣ ΤΟΥ ΣΥΝΟΛΙΚΟΥ ΠΡΟΓΡΑΜΜΑΤΟΣ ΘΕΡΑΠΕΙΑΣ ΠΟΥ ΕΚΕΙ ΧΡΗΤΗΘΕΙ ΑΠΟ ΤΟΝ ΙΑΤΡΟ ΣΑΣ. Η ΧΡΗΣΗ ΤΟΥ ΠΡΟΪΟΝΤΟΣ ΔΕΝ ΕΓΓΥΑΤΑΙ ΤΗΝ ΑΠΟΦΥΓΗ ΤΡΑΥΜΑΤΙΣΜΩΝ.**



RUSSIAN
<p>ПЕРЕД ИСПОЛЬЗОВАНИЕМ ДАННОГО БАНДАЖА ВНИМАТЕЛЬНО И ПОЛНОСТЬЮ ПРОЧИТАЙТЕ СЛЕДУЮЩИЕ ИНСТРУКЦИИ. ПРАВИЛЬНОЕ ПРИМЕНЕНИЕ ЧРЕЗВЫЧАЙНО ВАЖНО ДЛЯ ДОЛЖНОГО ФУНКЦИОНИРОВАНИЯ БАНДАЖА</p>

### НАЗНАЧЕНИЕ И ПОКАЗАНИЯ

Поддержка, компрессия, стабилизация коленного сустава, общие боли в колене, отек, умеренные растяжения и вывихи

### ПРОТИВОПОКАЗАНИЯ

Нет данных

### ПРЕДУПРЕЖДЕНИЯ И МЕРЫ ПРЕДОСТОРОЖНОСТИ.

Неопреновые биндажи не должны использоваться лицами со склонностью к дерматитам и аллергией на побочные продукты неопрена. Если вы почувствовали боль, отек, изменения ваших ощущений или любую необычную реакцию во время ношения биндажа, немедленно проконсультируйтесь с врачом. Биндаж должен плотно прилегать к конечности, но не ухудшать ее кровообращения. Никогда не надевайте биндаж на открытую рану.

### ИНФОРМАЦИЯ ИСПОЛЬЗОВАНИИ

- Наденьте биндаж на ногу.
- Используйте язычки, чтобы поднять биндаж вверх и разместить его так, чтобы шестигранный узор находился над коленом.

<span></span>	<span></span>	<span></span>	<span></span>
<span></span>	<span></span>	<span></span>	<span></span>

### ИНСТРУКЦИИ ПО СТИРКЕ

Стирайте вручную в теплой воде с мягким мыльным раствором, тщательно прополощите. Примечание. Мыло, оставшееся после стирки, может вызвать раздражение и повредить материал.

### СОСТАВ МАТЕРИАЛА

Неопрен — 63 %, полиэстер — 31 %, нейлон — 2 %, термополиуретан — 1 %, спандекс — 1 %, каучук — 2 %

### УРОВЕНЬ ПОДДЕРЖКИ

<span></span>	<span></span>	<span></span>	<span></span>
MIN	MID	MAX	MAX+



ПРЕДНАЗНАЧЕНО ДЛЯ ИСПОЛЬЗОВАНИЯ ОДНИМ ПАЦИЕНТОМ

**ГАРАНТИЯ** В компании DJO, LLC отремонтируют или заменят все изделие или его части, а также дополнительные аксессуары в случае повреждения материала в течении шести месяцев с даты покупки.

**ПРЕДНАЗНАЧЕНО ДЛЯ ИСПОЛЬЗОВАНИЯ ОДНИМ ПАЦИЕНТОМ. ИЗГОТОВЛЕНО БЕЗ ПРИМЕНЕНИЯ НАТУРАЛЬНОГОЛАТЕКСА.**